



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/713,460	11/14/2003	John Allen Wooton	9444	9143

27752 7590 11/01/2006

THE PROCTER & GAMBLE COMPANY
INTELLECTUAL PROPERTY DIVISION
WINTON HILL BUSINESS CENTER - BOX 161
6110 CENTER HILL AVENUE
CINCINNATI, OH 45224

EXAMINER

CINTINS, IVARS C

ART UNIT	PAPER NUMBER
----------	--------------

1724

DATE MAILED: 11/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/713,460

Applicant(s)

WOOTON ET AL.

Examiner

Ivars C. Cintins

Art Unit

1724

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 August 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3 and 5-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3 and 5-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3 and 5-16 are again rejected under 35 U.S.C. 103(a) as being unpatentable over Barger et al. (U.S. Patent No. 6,562,142; hereinafter "Barger") in view of Heskett et al. (U.S. Patent No. 3,675,777; hereinafter "Heskett"). Barger discloses the claimed invention with the exception of the recited connector structure. Heskett discloses connecting a replaceable filter cartridge to a hollow protrusion **13** in a fluid treatment system with a sealing structure comprising a flexible angled tapered portion **17** (see col. 1, line 74 through col. 2, line 1), and an insertion aid **18** (see col. 2, lines 1-4). It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the sprayer assembly of Barger with the sealing structure of Heskett, in order to provide the advantages disclosed by this secondary reference (see col. 1, lines 23-26) for the system of the primary reference. Also, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the thus modified primary reference system with a locating pin, as required by claim 10, in order to ensure proper alignment of the purifier cartridge. Furthermore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ inlet and outlet openings having the diameter recited in claim 11 in the thus modified primary reference assembly, in order to ensure that a sufficient amount of water can be dispensed from this device without creating an unacceptable pressure

Art Unit: 1724

drop. Moreover, it would have been obvious to one of ordinary skill in the art at the time the invention was made to space the inlet and outlet of the purifier cartridge at the distance recited in claim 12, in order to ensure that they will mate with the connectors of the modified primary reference assembly.

Applicant's arguments filed August 9, 2006 have been noted and carefully considered but are not deemed to be persuasive of patentability. Applicant argues that the combination of Barger and Heskett does not render the claimed sprayer purifier cartridge system obvious because the filter element **10** of Heskett "only has one opening" through which treated liquid travels, since the opposing end of this filter element is sealed with a cap. It is pointed out, however, that since the filter element (i.e. **50**) of Barger has multiple openings through which fluid is required to flow (see Fig. 1), one of ordinary skill in the fluid purification art would readily recognize the necessity of providing each of these openings with a hollow protrusion connector of the type disclosed by Heskett (i.e. element **13**), in order to ensure that a proper seal is formed between the purifier cartridge and the sprayer. Accordingly, this skilled artisan would have been motivated to modify the sprayer purifier system of Barger in the manner proposed above.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not

Art Unit: 1724

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to I. Cintins whose telephone number is 571-272-1155. The examiner can normally be reached on Monday through Friday from 8:30 AM to 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Duane Smith, can be reached at 571-272-1166.

The centralized facsimile number for the USPTO is **571-273-8300**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Ivars C. Cintins
Primary Examiner
Art Unit 1724

I. Cintins
October 29, 2006